

Adding a Chart Filter

Last Modified on 09/21/2023 9:15 am EDT

Our new Dashboard feature is available upon request for the initial launch phase. Please contact your Customer Success Manager if you'd like to schedule implementation with our Services team.

Overview

The Filters feature allows users to add internal Filters to the Chart's data values. These Filters are part of the Chart and will be retained in all instances of the Chart across the entire application. Furthermore, they are not visible outside the edit mode and can't be used for interaction.

User Account Requirements

The user account you use to log into Resolver must have Administrator permission to use the Dashboard Builder.

Related Information/Setup

To add styles to your Chart, please see the link below:

• Adding Styles to a Chart

Please see the corresponding articles below for Information on Adding a Chart Type not covered by these instructions.

- Adding a Chart to a Dashboard
- Adding a Multi-Series Chart to a Dashboard
- Adding a Combo Chart to a Dashboard
- Adding a Table to a Dashboard
- Adding a Crosstab to a Dashboard
- Adding a Heatmap to a Dashboard
- Adding a Map to a Dashboard
- Adding a Box and Whiskers Chart to a Dashboard

Navigation

1. From the *Home* screen, click the **System** icon.



| | ⊕ (Q | 000 | । भूष हि |
|--------|--------------|-----|-------------|
| Home ~ | My Tasks | | _ |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | - |

System Icon

2. From the *Admin Overview* screen, click the **Dashboard Builder** tile under the **Advanced Reporting** section.

| Admin Overview | ~ | Q | | 000 | \$ @ Q |
|----------------|-------------|-----------------------|------------------------|-------------------|--------------------------------|
| Data Model | | | Views | | |
| Object Types |] | Object Type Groups | Configurable Forms | 3 | LIII Data Visualizations |
| ° | Ē | \bigcirc | Advanced Reporti | ng | |
| •—— Fields | Assessments | Data Definitions | Dashboard Data Sets | Dashboard Builder | • |
| | | | 260 | Dashboard Builder | _ |

Dashboard Data Sets Tile


3. From the *Dashboard Builder* screen, click a **Dashboard Name**.

| <u>۵</u> |
|--------------------|
| |
| + CREATE DASHBOARD |
| |
| |
| |

Dashboard Name




4. From the *Dashboard* screen, to access the *Chart* screen, click on the **Add Chart** button.



Add Chart Button


4. Or click the More Options icon on an existing Chart View.



More Options Icon


5. Click the **Edit** option from the **More Options** dropdown menu.





Edit Option


6. From the *Chart* screen, click the **Filters** panel from the **Configuration** panel.



Filters Panel

7. Click the **+Add Filters** link.





+ Add Filters Link

Adding a Chart Filter

1. From the *Filter* screen, enter a **Column** name in the **Column** field to narrow the search results.

| # # of Threats Value B # add Threats Value Will # of Threats Value Asset Status Label Fact Label Fact Status Value Case Costs Range Case Costs Range Case Costs Value Case Costs Value | | Filter | × | | H C | tir > | |
|--|-------------------|---|--------------|---------------------|-----|-------|---|
| Build Columns Scart Columns Categories F a of Threats Range F a of Threats Range F a of Threats Range F a const Status Label F a const Const Value F a const Const Value F a const Status Label F a const Status Label F a const Const Value F a const Const V | Category | Column | | (SUM) 1 : | | | |
| Search Columns Add Descript Categores # dd Descript # # of Threats Range Text Label # # af Threats Range Text Label # # af Threats Status Label Text Label # # af Threats Value Text Label # Case Costs Range Text Label # Case Costs Value Numeric # Case Costs Value Numeric # Case Focus value Numeric | | Search or select a column to create filters | | | | | |
| Categories F # of Threats Range Text Label F # of Threats Range Numeric F Asset Status Label F # of Threats Value Numeric F Asset Status Label F Asset Status Value Text Label F Case Costs Range Text Label Im | | DataSet Incident Management (90989) | | | | | |
| Image: Section of Threads Range Image: Section Status Label Image: Section Status Value Image: Section | | # of Threats Range | Text Label | | | | |
| If Acset Status Label For Acset Status Label Text Label Image: Case Cost Range Image: Case Co | 1,31 | # # of Threats Value | Numeric | | | | |
| F Asset Status Value Text Label F Case Costs Range Text Label F Case Costs Range Text Label F Case Costs Value Numeric General Solar Duration (Days) F Case Costs Value Numeric F Case Costs Value Sorting Values F Case Focus name F Case Costs Value Numeric F Case Costs Value Sorting F Case Focus workflowState Label Text Label F Case Focus workflowState Label Text Label F Case Focus workflowState Label Text Label F Case Focus workflowState Numeric <td>-</td> <td></td> <td>Text Label</td> <td></td> <td></td> <td></td> <td></td> | - | | Text Label | | | | |
| If S Case Costs Range Text Label If S Case Costs Range Text Label If S Case Focus Valid From If Case Focus Valid From If S Case Focus Valid From Date If A set Threats Value If Case Focus workflow. If A set Threats Value If Case Focus workflow. If Case Focus Valid From Date If Case Focus Valid From Date If Case Focus Valid From Date If Case Focus Valid Format If Case Focus Valid Focus Valid If Case Focus Valid Case Focus Valid <td>~200</td> <td></td> <td>Text Label</td> <td></td> <td></td> <td></td> <td></td> | ~200 | | Text Label | | | | |
| # Case Duration (Days) # Case Costs Value Numeric General # Case Duration (Days) # Case Duration (Days) Value Numeric Styles # E Case Focus workflow. # Case Duration (Days) Value Numeric Styles # E Case Focus workflow. # Case Duration (Days) Value Numeric Layers # E Case Focus workflow. # Case Duration (Days) Value Numeric Layers # Case Costs Value # Case Focus workflowState Numeric Format # Case Costs Value # Case Focus workflowState Numeric Filters # Case Costs Value # Case Net Loss Value # Case Net Loss Value # Add Filters # Case Focus workflow. # Case Net Loss Value Numeric # Add Filters # Case Net Loss Value # Case Net Loss Value Numeric # Add Filters # Case Net Loss Value Date Date # Add Filters | | ≣ Case Costs Range | Text Label | | | | - |
| Image: Case Focus Valid From Fext Label Styles Styles Image: Case Focus Valid From Date Styles String Image: Case Focus volkflow Image: Case Focus Valid From Date String Image: Case Focus volkflow Image: Case Focus Valid From Date String Image: Case Focus volkflow Image: Case Focus Valid From Date String Image: Case Focus volkflowState Numeric Layers Eagers Image: Case Costs Value Image: Case Focus volkflowState Numeric Filters Image: Case Focus volkflowState Numeric String Filters Image: Case Focus volkflowState Numeric Filters Filters Image: Case Focus volkflowState Numeric Image: Case Pocus Value Filters Image: Case Focus volkflowState Numeric Image: Case Pocus Value Filters Image: Case Focus volkflowState Numeric Image: Case Pocus Value Image: Case Pocus Value Image: Case Pocus Value Image: Case Focus volkflowState Date Date Date Image: Case Pocus Value Image: Case Pocus Value Image: Case Pocus Value Image: Cas | | | Numeric | | | | |
| # Cose Focus name 40 # Cose Duration (Days) Value Numeric Serting # E Case Focus Workflow * 40 # Cose Focus Value Date Layers # # of Threats Value * 40 # Cose Focus workflowState Numeric 1 # # of Threats Value * 40 # Cose Focus workflowState Numeric 1 # # Cose Costs Value * Cose Focus workflowState Numeric 1 # Cose Costs Value * Cose Focus workflowState Label Text Label Fitters # Cose Duration (Days) * Cose Focus workflowState Label Text Label Fitters # Cose Duration (Days) * Cose Net Loss Value Numeric 1 # Cose Focus workflowState Numeric 1 Fitters # Cose Net Loss Value * Cose Net Loss Value Numeric 1 # Cose Focus workflow © Check Date Date + Add Fitters # Cose Net Loss Value © Closed Date/Time Date * | 800 | Case Duration (Days) Range | Text Label | | | | |
| If Case Focus workflow. Case Focus workflow. Sate Sate Values 40 Case Focus workflow. If Case Focus workflow. Layers If I are Chreats Value 40 If Case Focus workflow. Sate Numeric If Case Costs Value 50 If Case Focus workflow. Sate Format If Case Costs Value If Case Focus workflow. If Case Focus workflow. Sate Sate If Case Focus workflow. If Case Focus workflow. If Case Focus workflow. Format If Case Focus workflow. If Case Focus workflow. If Case Focus workflow. Fast Label If Case Focus workflow. If Case Focus workflow. If Case Focus workflow. Fast Label If Case Focus workflow. If Case Focus workflow. If Case Focus workflow. Fast Label If Case Focus workflow. If Case Focus workflow. If Case Focus workflow. Fast Label If Case Focus workflow. If Case Focus workflow. If Case Focus workflow. Fast Label If Case Focus workflow. If Case Focus workflow. If Case Focus workflow. Fast Label If Case Focus workflow. If Case Focus workflow. If Case Focus workflow. If Case Focus workflow. If Case Focus workflow. If Case Focus workflow. If Case Focus workflow. If Ca | | | | | | | |
| Values # Case Focus id Numeric Format # # of Threats Value # Case Focus mome Text Label Format # # Case Costs Value # Case Focus workflowState Numeric Faters # # Case Focus workflowState Text Label Faters # # Case Focus workflowState Text Label Faters # Case Focus workflowState Text Label Faters # Case Focus workflowState Numeric Faters # Case Focus workflowState Numeric Faters # Case Focus workflowState Numeric Faters # Case Focus workflow Check Date Date # Case Focus workflow Check Date Date | | Case Focus Valid From | Date | | | | |
| # # of Threats Value # Gase Focus workflowState Numeric 51 Format # Case Costs Value © Case Focus workflowState Numeric 51 Faters # Case Costs Value © Case Not Loss Range Text Label Faters Faters # Case Focus workflowState Numeric © Case Net Loss Value Numeric Faters # Case Focus workflowState E Case Net Loss Value Numeric Faters # Case Focus workflowState © Check Date Date Faters | 12 ⁰ 0 | | | | | | |
| # Case Costs Value S Case Focus workflowState Label Text Label Faters # # Case Duration (Daya) S Case Net Loss Value Text Label + Add Filters # # Case Net Loss Value Numeric Check Date Date # # Case Net Loss Value Closed Date/Time Date | | - | Text Label | | | | |
| If Case Net Loss Value Image: Case Net Loss Value | | | Numeric | 51 | | | |
| # Case Focus Id cse Net Loss Value Numeric Image: Case Recus Workflow # Case Net Loss Value Check Date Date # Case Net Loss Value Closed Date/Time Date | ton . | | Text Label | and a | | | |
| # Case Focus workflow Check Date Date # Case Net Loss Value Closed Date/Time Date | A. S. C. | | Text Label | crit ^{equ} | | | |
| # Case Policy Working Closed Date/Time Date # Case Net Loss Value Closed Date/Time Date | Gener | # Case Net Loss Value | Numeric | ~ | | | |
| The Case Net Loss Value | | | Date | | | | |
| | | Closed Date/Time | Date 💌 | | | | |
| Hincident Average Dur. Ochart show Cancel Apply Lincrease the. | | | Cancel Apply | | | | |

Filter Screen

- 2. Click the **Column** you want to use to Filter the Chart.
- 3. Pick a **Condition** from the **Is** dropdown menu. Conditions on the Is dropdown menu will vary depending on if the selected Column has a Numeric, Date, or Text Label value.



| Pasaluar | | | | | | |
|----------------------------|-----------------|--|----------|--------------|--|---|
| | | Filter | \times | | | |
| | Category | Column | | SUM) ↓ E | | |
| 🖩 DataSet Incident Managem | | # Incident Type id | ~ | | | |
| | Add Description | ls | | | | |
| | Add Description | Between, Inclusive | ~ | | | |
| | 1,3 | Equals | A | | | |
| | 200- | Does not equal | - 11 | | | |
| | ~~ | Less than | - 11 | | | |
| | 7.90° | Less than or equal to | - 11 | | | × |
| | 40 ⁰ | Greater than | - 8 | | | |
| | 60- | Greater than or equal to Between, Inclusive | - 11 | | | |
| E Case Focus workflow | 10 ⁰ | Between, Exclusive | - 11 | | | 2 |
| | 1999 - C | Is Null | - | | | |
| | 200 | | | 51 | | |
| | 0 10 | | | a d | | |
| | 10 Secur | | | Cales. | | |
| | Carter | | | | | |
| | | | | | | |
| | | | | | | |
| | Chart show | Cancel | pply | d increase t | | |
| # Incident Cost Value | _ | A A A A A | _ | | | |

Is Dropdown Menu

Numeric:

- **Equals:** The Equals Condition is met if a value(s) on the Chart equals the Value in the **Value** field.
- **Does not equal:** The Does not equal Condition is met, if a value(s) on the Chart does not equal the Value in the **Value** field.
- Less than: The Less than Condition is met If a value(s) on the Chart is less than the Value in the Value field.
- **Greater than:** The Greater than Condition is met, if a value(s) on the Chart is greater than the Value in the **Value** field.
- Less than or equal to: The Less than or equal to Condition is met if a value(s) on the Chart is less than or equal to the Value in the Value field.
- **Greater than or equal to:** The Greater than or equal to Condition is met if a value(s) on the Chart is greater than or equal to the Value in the **Value** field.
- Between, inclusive: The Between, inclusive Condition is met if a value(s) on the Chart is within the value range, including the edge values (e.g., 0 500, will include the edge values 0 and 500). An extra Value field is added when using Between, Inclusive, which allows users to create a value range by entering a numerical value in each Value field. The first Value field is the min value in the range.
- Between, exclusive: The Between, exclusive Condition is met if a value(s) on the Chart is within the value range, excluding the edge values (e.g., 0 500, will exclude the edge values 0 and 500). An extra Value field is added when using Between, Exclusive, which allows users to create a value range by entering a numerical value in each Value field. The first Value field is the min value in the range.
- Is null: The Is null Condition is met if a value(s) on the Chart equals null (0), the Condition is met. The Value field is removed and is not used when Is Null is selected.



Is not null: The Is not null Condition is met if a value(s) on the Chart does not equal null (0), the Condition is met. The Value field is removed and is not used when Is Not Null is selected.

Date:

- In: The In Condition is met if a date value(s) on the Chart is within the date Condition.
 - **Operator:** Select a date Operator from the dropdown menu.
 - **This:** Selecting the **This** operator allows users to specify the length of time, creating a Date range starting today (e.g., Day, Year, Quarter, Month, Week).
 - **Date Length:** Select the Date Length to apply to the operator from the dropdown menu (e.g., Day, Year, Quarter, Month, Week).
 - The last: Selecting The last operator allows users to create a date range based on the last specified period by specifying the amount of time within the date range (e.g., The last 30 Days).
 - Value: Enter the length of time in the Value field.
 - Date Length: Select the Date Length from the dropdown menu (e.g., Day, Year, Quarter, Month, Week). The Calendar date checkbox is locked if you select Days as a Date Length.
 - The next: Selecting The next operator allows users to create a date range based on the next specified period by specifying the amount of time within the date range (e.g., The next 30 Days).
 - Value: Enter the length of time in the Value field.
 - Date Length: Select the Date Length from the dropdown menu (e.g., Day, Year, Quarter, Month, Week). The Calendar date checkbox is locked if you select Days as a Date Length.

• Calendar Dates:

- **Enable:** Uses a calendar-based approach to calculating filter date ranges. A calendar-based approach considers the start and end date of the selected date range.
- Disable: Uses a rolling date range calculation which allows the start and end date to move depending on today's date (e.g., for the last two years, if today's date is 2/8/2021, the filter range will be 2/8/2019 through 2/8/2021 today and change to 2/9/2019 to 2/9/2021 tomorrow).
- **Include Starting Date:** Includes (enabled) or excludes (disabled) the starting date in the range.
- **Current Date:** Enter the number of days in the **Date** field. The **Date** field determines the number of days included within the Condition range (e.g., The Last



30 days, if 30 is entered in the **Date** field and **The Last** is selected from the

Operator dropdown menu).

• Date Selected: This will indicate the start and end dates included in the date range.

| I | Deselver | | () () such | | | | ^ |
|---|---------------------------------------|------------------|--|----------|--------|-----------|---|
| - | | | Filter × | | H Save | Chart 👻 🗙 | |
| | | Category | Column | 0 1 : | | | |
| | | | 🗅 Closed Date/Time 🗸 | | | | |
| | | Add Desc | ls | | | | |
| | | | In 🗸 🗸 | | | | |
| | | | | | | | |
| | | | The last 🗸 30 🗘 Day 🗸 | | | | |
| | | , 0 ⁰ | | | | | |
| | | | | | | | |
| | $\exists \equiv$ Case Duration (Days) | 49° | Calendar dates 2 Include starting date 2 | | | | |
| | | | Starting From | -51 | | | |
| | | 0 | Current Date | Å | | | |
| | | ALL'S | | | | | |
| | | Gern | Date Selected: 04/30/2023 - 05/30/2023 | | | | |
| | | | | | | | |
| | # Case Focus workflow | Chart : | | is and i | | | |
| | | | | | | | |

In Date Option

- **Before:** The Before Condition is met if a value(s) on the Chart is within the date range before the specified date (e.g., before 01/01/2023).
 - **Date Length:** Select the **Date Length** from the dropdown menu (e.g., Year, Quarter, Month, Week).
 - **Date:** Select a Date from the *Calendar* pop-up or use the slide bar to select a Date to indicate the end date of the Condition range.

| | Closed Date/Time | | Save Chart 👻 🗙 |
|-------------------|---------------------------------------|--------------|----------------|
| Category | | 0 ↓ ≣ Charts | |
| | Before | · | |
| Q Numbe | Full Date 🗸 | | |
| | | | |
| <u> </u> | Data Max: 01/11/2023 | Hr | |
| | | | |
| ~. ⁰⁰⁰ | · · · · · · · · · · · · · · · · · · · | | |
| | | | - |
| - 40 | 01/11/2023 | General | |
| | | Styles | |
| <u> </u> | 01/11/2023 + | Sorting | |
| - Alla | | Layers | |
| Gør | | Format | |
| | | Filters | |
| Chart : | Cancel Apply | us and i | |

Before Option

- **Before or on:** The Before or on Condition is met if a value(s) on the Chart is within the date range before or on the specified date (e.g., before or on 01/01/2023).
 - **Date Length:** Select the **Date Length** from the dropdown menu (e.g., Year, Quarter, Month, Week).



- **Date:** Select a Date from the *Calendar* pop-up or use the slide bar to select a Date to indicate the end date of the Condition range.
- After: The After Condition is met if a value(s) on the Chart is within the date range after the specified date (e.g., after 01/01/2023).
 - **Date Length:** Select the **Date Length** from the dropdown menu (e.g., Year, Quarter, Month, Week).
 - Date: Select a Date from the *Calendar* pop-up or use the slide bar to select a Date to indicate the beginning date of the Condition range.
- **After or on:** The After or on Condition is met if a value(s) on the Chart is within the date range after or on the specified date (e.g., after or on 01/01/2023).
 - Date Length: Select the Date Length from the dropdown menu (e.g., Day, Year, Quarter, Month, Week). The Calendar date checkbox is locked if you select Days as a Date Length.
 - **Date:** Select a Date from the *Calendar* pop-up or use the slide bar to select a Date to indicate the beginning date of the Condition range.
- **Equals:** The Equals Condition is met if a value(s) on the Chart equals the date(s) selected (e.g., equals 01/01/2023).
 - **Search or type values separated by commas:** Search the Data for commadelimited date values (separated with commas).
 - **Dates:** Select a Date(s) from the generated date list by clicking the checkbox next to the Date. When selecting multiple dates, the OR value is used.

| F |)lvv | | | | | | ^ |
|---|---------------------------------------|---|---|--|-------|---|----|
| 1 | | | Closed Date/Time | | art 🔻 | | |
| | | Category | Is | | | | 5 |
| | | | Equals | | | | |
| | | Add Desc | Full Date 🗸 | | | | ۰. |
| | | | | | | | |
| | | | Search or type values separated by commas. Use {{ for tokens. | | | | |
| | | | 06/12/2022 | | | | |
| | | , 6 ⁰⁰ | 06/18/2022 | | | | |
| | | | 06/20/2022 | | | • | |
| | ${}_{ }\equiv$ Case Duration (Days) | | 06/21/2022 | | | | |
| | | | 06/22/2022 | | | | |
| | | 0 | 06/25/2022 | | | | |
| | | and the second se | 06/30/2022 | | | | |
| | | Gene | OR logic is used for multiple values. 0 selected of 67 loaded | | | | |
| | | | | | | | |
| | # Case Focus workflow | Chart | Cancel Apply same | | | - | |
| | | | | | | | |

Equals Option

- **Does not equal:** The Does not equal Condition is met if a value(s) on the Chart does not equal the date(s) selected (does not equal, on 01/01/2023).
 - **Search or type values separated by commas:** Search the Data for commadelimited date values (separated with commas).
 - **Dates:** Select a Date(s) from the generated date list by clicking the checkbox next

Resolver.

to the Date. When selecting multiple dates, the OR value is used.

- Between, inclusive: The Between, inclusive Condition is met if a value(s) on the Chart is within the value range, including the edge values, the Condition is met (e.g., 0 500, will include the edge values 0 and 500). An extra Value field is added when using Between, Inclusive, which allows users to create a value range by entering a numerical value in each Value field. The first Value field is the min value in the range.
- Between, exclusive: The Between, exclusive Condition is met if a value(s) on the Chart is within the value range, excluding the edge values (e.g., 0 500, will exclude the edge values 0 and 500). An extra Value field is added when using Between, Exclusive, which allows users to create a value range by entering a numerical value in each Value field. The first Value field is the min value in the range.
- Is null: The Is null Condition is met if a value(s) on the Chart equals null (empty). The
 Value field is removed and is not used when Is Null is selected.
- Is not null: The is not null Condition is met if a value(s) on the Chart does not equal null (empty). The Value field is removed and is not used when Is Not Null is selected.
- **Date Selected:** When using the In operator, the system will automatically set the Start Date to today's date and extend the ranges end date according to the In operator (e.g., Week, Month, etc.).
- Add New Value: A user can add date values by selecting the plus (+) button. The Add New Value button does not appear for every Date option.

| | Filter | × Î = I | | art 🔻 | |
|---|--------------------|----------|--|-------|---|
| Category | Column | 0.4.1.1 | | | |
| | Closed Date/Time | ~ | | | |
| Add Desc | | | | | |
| AUG Desc | After or on | ~ | | | |
| | | | | | |
| | Month, Year | × | | | |
| 100 | | | | | |
| | Data Min: Jun 2022 | | | | • |
| 490 T | | | | | |
| | 0 | -51 | | | |
| 0 | Jun 2022 | | | | |
| A. C. | | \$** | | | |
| Gen | | | | | |
| | Jun 2022 + | | | | |
| Chart : | | is and i | | | |

Add New Value Button

Text Label:

- **Equals:** The Equals Condition is met if a value(s) on the Chart equals the Text Value(s) selected (e.g., equals Person Incident).
 - **Search or type values separated by commas:** Search the Data for commadelimited Text Values (separated with commas).
 - Text: Select Text Values from the generated list by clicking the checkbox next to the



Text Value. When selecting multiple Text Values, the OR value is used.

| Pasalyay | | | (| |
|----------------------------|--|----------|------------|------------|
| | Filter × | ÎE | H C Save C | hart 👻 🗙 |
| | Column | 0 + 1 | | ~ ^ |
| 🔲 DataSet Incident Managem | 🗉 Incident Category Label 🗸 🗸 | | | 1000 A |
| | ls | | | |
| | Equals 🗸 | | | |
| | | | | ₹ |
| | Search or type values separated by commas. Use {{ for tokens. | | | |
| | Emergency | | | |
| | Executive Protection | | | • • » |
| N III | General Security | | | > |
| | Human Resources | 51 | | > |
| | Information Protection | | | > |
| | Person Incident | and a | | > * |
| | Property Incident | | | > |
| | OR logic is used for multiple values. O selected of 7 loaded | | | |
| | | us and i | | · · |
| 300 | 460 | 9 | | |

Equals Option

- **Does not equal:** The Does not equal Condition is met if a value(s) on the Chart does not equal the Text Value(s) selected (e.g., equals Person Incident).
 - **Search or type values separated by commas:** Search the Data for commadelimited Text Values (separated with commas).
 - **Text:** Select Text Values from the generated list by clicking the checkbox next to the Text Value. When selecting multiple Text Values, the OR value is used.
- Starts with: If a value(s) on the Chart starts with the Text Value entered, the Condition is met (e.g., starts with "e" = Emergency).
 - Text Value: Enter the first few starting text characters in the Text Value(s) you want to include in the Chart and press Enter to add the text value to the Selected Text Value field.
 - **Selected Text Value:** The Selected Text Value field displays all the text values to include within the Chart.

| Peeelver | | | <u>^</u> | | | Ê |
|---------------------------------|-------------------|---|------------|--------------|------|---|
| | | Filter × | 2 | Save Chart 🔫 | | |
| | Category | Column | 0 4 1 1 | | | |
| 🔲 DataSet Incident Managem | | E Incident Category Label | | | | |
| | Add Desc | | | | | |
| | Aug Desc | Starts with 👻 | | | | |
| | | | | | | |
| | | Search or type values separated by commas. Use {{ for tokens. | | | | |
| | ~,9 ⁰⁰ | EX | | | | |
| | | | | | × >> | |
| N \equiv Case Duration (Days) | -90 | OR logic is used for multiple values. | | | | |
| | | | | | | |
| | 0 | | a) | | | |
| | ARION | | S. | | | |
| | Ga. | | | | | |
| | | | | | | |
| # Case Focus workflow | Chart : | | 🖕 is and i | | | |
| 300 | | 0 8 | 9 | lltara | | - |

Starts With Option



- **Does not start with:** The Does not start with Condition is met if a value(s) on the Chart does not start with the Text Value entered (e.g., does not start with "e" = Personal Injury, etc.).
 - Text Value: Enter the first few starting text characters in the Text Value(s) you do not want to include in the Chart and press Enter to add the text value to the Selected Text Value field.
 - **Selected Text Value:** The Selected Text Value field displays all the text values to excluded from the Chart.
- **Contains:** The Contains Condition is met if a value(s) on the Chart does contain the Text Value entered (e.g., contains "e" = Personal Injury, etc.).
 - **Text Value:** Enter text characters in the Text Value(s) you want to include in the Chart and press **Enter** to add the text value to the **Selected Text Value** field.
 - **Selected Text Value:** The Selected Text Value field displays all the text values to include from the Chart.
- **Does not contain:** The Does not contain Condition is met if a value(s) on the Chart does not contain the Text Value entered (e.g., does not contain "e" = Injury, etc.).
 - Text Value: Enter the text characters in the Text Value(s) you do not want to include in the Chart and press Enter to add the text value to the Selected Text Value field.
 - **Selected Text Value:** The Selected Text Value field displays all the text values to excluded from the Chart.
- **Ends with:** The Ends with Condition is met if a value(s) on the Chart does end with the Text Value entered (e.g., ends with "y" = Personal Injury, etc.).
 - **Text Value:** Enter the text characters in the Text Value(s) you want to include in the Chart and press **Enter** to add the text value to the **Selected Text Value** field.
 - **Selected Text Value:** The Selected Text Value field displays all the text values to include from the Chart.
- **Does not end with:** The Does not end with Condition is met if a value(s) on the Chart does not end with the Text Value entered (e.g., does not end with "e" = Personal Injury, etc.).
 - Text Value: Enter the first few starting text characters in the Text Value(s) you do not want to include in the Chart and press Enter to add the text value to the Selected Text Value field.
 - **Selected Text Value:** The Selected Text Value field displays all the text values to excluded from the Chart.
- Is null: The Is null Condition is met if a value(s) on the Chart equals null (empty). The
 Value field is removed and is not used when Is Null is selected.
- Is not null: The Is not null Condition is met if a value(s) on the Chart does not equal null (empty). The Value field is removed and is not used when Is Not Null is selected.



4. When you have created your filter condition, click the **Apply** button to apply the condition to the Chart.

| Pasalwar | | E Incident Category Label | ^ | | | ĺ |
|---|-------------------|---|------------|--|---|---|
| 1 | | | | | | |
| | Category | | 1) ↓ 1 | | | |
| 🔲 DataSet Incident Managem | | Starts with 🗸 | | | | |
| | Add Desc | Search or type values separated by commas. Use {{ for lokens. | | | | |
| | Aud Desc | | | | | |
| | | e × | | | | |
| | | OR logic is used for multiple values. | | | | |
| | ~.5 ⁰⁰ | | | | | |
| | | | | | • | |
| $\mathbb{H} \equiv \text{Case Duration (Days)} \dots$ | 490° | | | | | |
| | | | -51 | | | |
| | 0- | | à | | | |
| | rela' | | 8 | | | |
| | G® | | | | | |
| | | Cancel Apply | | | | |
| # Case Focus workflow | Chart : | | 👻 is and i | | - | |
| | | | P | | | |

Apply Button