

Adding Formulas to an Object Type

Last Modified on 09/12/2025 10:07 am EDT

Overview

A formula uses numeric and variable values (e.g., [select lists](#), [numeric](#) or [date](#) fields, or [workflow states](#)) to generate Incident Severity, Estimated Damage, or Incident Likelihood. Formulas are added to an object type through a [Relationship](#) or [Reference](#).

A formula appears on a form as a number, label (e.g., Low, Medium, High), numbers and labels, gauge, or as a formula card.


Related Information/Setup

For more information on formulas, see the following articles:

- [Formulas Overview](#)
- [Variables, Operators & Functions](#)
- [Time Functions](#)
- [Null Values in Formulas](#)
- [Formula Examples](#)
- [Formulas on Forms](#)


Navigation

1. From the **Home** screen, click the **Administration** icon.




Administration Icon

2. From the Administrator settings menu, click **Admin Overview**.




Administrator Settings Menu

- From the **Admin Overview** screen, click the **Object Types** tile under the **Data Model** section.



Object Types Tile


- From the **Object Types** screen, from the list of object types, click the object type that you want to add a formula to.



Object Types Screen


Adding a Formula to an Object Type

- From the **Edit Object Type** screen, click the **Formulas** tab.




Formulas Tab

- From the **Formulas** tab, click on the **Add Formula** button.




Add Formula Button

- From the **Create New Formula** pop-up, enter a formula name in the **Name** field (e.g., Estimated Vehicle Damage) and click the **Create** button.




Create New Formula Pop-Up

- In the **Formulas** tab, click the new formula to open the **Edit Formula** pop-up.




Edit Formula Pop-up

5. **(Optional):** Enter a description documenting the formula's internal use in the **Description** field.



Description Field

6. From the **Variables** section, click the **Add Variable** button. A variable is a value in which the formula calculations are performed.



Add Variable Button


7. From the **Variables** section, select one of the following types from the **Variable Type** drop-down list:

- **Field:** After selecting the **Field** variable, the following field will appear:
 - **Available Components:** Select a field or formula from the **Available Components** drop-down field adding it directly to the object type.



Note:

Fields can be added to formulas after they are added to an object type or if they are associated through a relationship or reference. Only numeric fields, date fields, and select lists with numeric values are accepted. For more information, see the [Fields](#) article.



Field Variable Type

- **Relationship:** After selecting the **Relationship** variable, the following fields will appear:

- **Relationship:** Select the object type relationship from the **Relationship** drop-down list. Relationships connect two or more objects. The user must add a relationship to an object type to appear on the **Relationship** drop-down list. See the [Add Relationships to an Object Type](#) article for further information on adding a relationship to an object type.
- **Available Components:** Select a field or formula from the **Available Components** drop-down field adding it directly to the object type.
- **Sub Type:** Select a sub type from the **Sub Type** drop-down list. Sub types specify how the data from multiple objects are compiled, calculated, and displayed. For more information on sub types, see the sub type table in the [Variables, Operations, & Functions](#) article.
 - **Array:** Creates a set of values from the variable.
 - **Sum:** Calculates a total from the variable's set of values and returns a single number. Select list variables cannot use sum sub types.
 - **Count:** The number of times a variable has been added to an object.
 - **Average:** Calculates an average number from the variable's set of values. Select list variables cannot use average sub types.
 - **Every:** Checks if the variable contains a value on the objects in the relationship/reference.
 - **Min:** Calculates the lowest number from the variable's set of values. Select list variables cannot use min sub types.
 - **Max:** Calculates the highest number from the variable's set of values. Select list variables cannot use max sub types.

The screenshot shows the 'EDIT FORMULA' dialog box in the Resolver application. The dialog is titled 'EDIT FORMULA' and has a close button (X). It contains several fields: '* Variable Type' (set to 'Relationship'), '* Relationship' (empty), '* Available Components' (empty), 'Sub Type' (set to 'Array'), '* Name' (empty), and 'Description' (empty). There is also a checkbox for 'Treat empty values as Null'. The background shows a list of formulas under the 'Formulas (14)' tab, with 'Estimated Vehicle Damage' selected.

Relationship Variable Type

- **Reference:** After selecting the **Reference** variable, the following fields will appear:

- **Reference:** Select the object type reference from the **Reference** drop-down list. References indicate that an object is connected to another object through a relationship. References are automatically created when a relationship is created. For further information on adding a relationship to an object type, see the [Add References to an Object Type](#) article.
- **Available Components:** Select a field or formula from the **Available Components** drop-down field adding it directly to the object type.
- **Sub Type:** Select a sub type from the **Sub Type** drop-down list. Subtypes specify how the data from multiple objects are compiled, calculated, and displayed.

Reference Variable Type

- **Property:** After selecting the **Property** variable, the following field will appear:
 - **Property:** Select a property type from the **Property** drop-down list:
 - **Is Submitter Confidential:** This property type creates a formula that compares the number of confidential submissions against the number of not confidential submissions for customers that use the **Confidential Reporting Portal**.

Property Variable Type

8. The system will automatically populate the **Name** field with the field or formula's unique ID by default.
9. **(Optional):** Enter a variable name in the **Name** field.




Warning:

Using a function name (Sub Type Name) in the name field will cause an error.


Variable Name

10. **(Optional):** Enter a variable description in the **Description** field.
11. **(Optional):** Select the **Treat empty values as Null** checkbox to exclude blank objects from a formula calculation. For more information, see the [Null Values in Formulas](#) article.
12. Click the **Create** button to add the variable. The system will perform the Syntax Validation function, and an error message will appear under the **Formula** field, reminding the user to add the variable name to the **Formula** field.




Variable Error Message

13. Click the **Insert Variable** button and select a variable from the drop-down menu. The selected variable will be added to the **Formula** field.




Insert Variable Button

14. Click the **Save Formula** button. The **Formula** field will indicate if the formula syntax is correct. If the formula syntax is correct the formula will be saved.
 - Click the **Expand** icon on the **Formula** field to open the expandable screen mode.




Formula Syntax

- Click the **Delete** icon next to the variable to delete the variable.



Delete Icon

- From the **Formula** section, enter a formula using the variable name(s) you entered in the **Name** field in the **Variables** section. Include operators and functions in the **Formula** field (e.g., **INCIDENTSE==3**). For more information on operators, see the operators table in the [Variables, Operators, & Functions](#) article.
- A system notification will appear under the **Formula** field, indicating that **Your formula is not saved**.
- The **Recalculate and Reformat** button will be greyed out, preventing invalid formulas from being sent to the processing queue and causing a potential slowdown.



System Notification - Your Formula is Not Saved

19. Click the **Save Formula** button.




Warning:

The **Autosave** function was removed from the **Edit Formula** pop-up. Changes to the **Formula** field require a user to click the **Save Formula** button.

Changes not manually saved will be discarded, and the system will revert to the previously saved state.


The system will perform a Syntax Validation on the formula to confirm if the formula is:

- **Valid:** A system notification will appear under the **Formula** field; **Formula syntax is correct. Formula saved.** The **Recalculate and Reformat** button will be active.



System Notification - Valid Formula

- **Invalid:** A system notification will appear under the **Formula** field; **Error Syntax error in part (char 1). The formula is not saved.** The error will indicate the character (char) location of the error in the formula and that the formula is invalid and not saved. The **Recalculate and Reformat** button will be greyed out, preventing invalid formulas from being sent to the processing queue and causing a potential slowdown.




System Notification - Invalid Formula

20. **(Optional):** Click the **Recalculate and Reformat** button to recalculate all the formulas in your Org.

21. In the **Display** section, select a format from the **Format** drop-down list:

- **None:** Uses no display formats.




Format = None

- **Numeric:** Allows the user to choose how the numbers will be displayed using the options on the table.
 - **Num:** Displays numbers in numeric format.
 - **%:** Displays numbers using percentage format.
 - **Cur:** Displays numbers using currency format. Currency fields will be formatted as follows:
 - \$ AUD
 - \$ CAD
 - \$ HKD
 - \$ NZD
 - \$ USD
 - £ GBP
 - € EUR
 - ₣ CHF
 - ¥ CNY
 - ¥ JPY
 - The format of the currency value will automatically change based on the currency selected:

Currency Type	Currency Value Format
\$ AUD, \$ CAD, \$ HKD, \$ NZD, \$ USD	\$ 1,234.56
£ GBP	£ 1,234.56
€ EUR	1.234,56 €
F CHF	1.234,56 F
¥ CNY, ¥ JPY	¥ 1,234.56


- **0.00:** Displays numbers using decimal format.
- **Layout:** Previews the number format selected.



Format = Numeric


- **Range as:**
 - **None:** The formula will display the numeric results only.
 - **Label:** The formula will display the range labels only (e.g., Low, Medium, High) in the color selected for that range.
 - **Label and Result:** The formula will display the numeric results and labels (e.g., Low – 1000) in the color selected for that range.
 - **Result:** The formula will display the numeric results only in the color selected for that range.

22. If a user selects **Label**, **Label and Results**, or **Results** from the **Range as** drop-down list, the system will automatically add three default formula labels **Low**, **Medium**, and **High**.



Formula Labels

23. Click the **Edit** icon next to the **Formula Label** you want to edit.



Edit Icon


24. The **Formula Label** fields will appear, allowing the user to edit the field values:

- **Color:** Click the **Color** drop-down to reveal the color picker and select a new color for the label. You can also type a hex color into this field to select a color.
- **Label:** Enter a new name for the label in the **Label** field.
- **Max Value:** Enter a maximum value in the **Max Value** field, creating a numeric value range for the **Formula Label**.

The screenshot shows the 'EDIT FORMULA' dialog in the Resolver application. The left pane lists various formulas such as ACTCOUNT, Activity DoW, Activity ToD, Count, Earliest Response Time, Estimate Vehicle Damage, Linked Incident Count, On Site Time, and Priority. The right pane is the configuration area for the selected formula. It includes a 'DISPLAY' section with options for 'Format' (Numeric), 'Layout' (0), and 'Range as' (Label and Result). Below this is a table of labels with columns for 'Color', 'Label', and 'Max Value'. The first label is highlighted with a red box, showing a green circle, the label 'Low', and a max value of '33'. Other labels include 'Medium' and 'High' with their respective ranges. An 'ADD LABEL' button is at the bottom.


Formula Label Fields

25. Click the **Save** icon to save your changes.




Save Icon

26. Click the **Delete** icon to delete a Formula Label.




Delete Icon

27. Click **Add Label** button to add a new label.



Add Label Button

28. If changes are made to the **Formula Label** on the **Display** section, you must click the **Reformat** button before the changes are displayed.



Reformat Button